


NuMI-MINOS status report






This week




- \triangleright 4.99 × 10¹⁸ protons this week
- Steady week, only 10.5 hours beam downtime—an hour here and there
- Detector uptimes 98.39% (near) and 99.96% (far)

This week:

- Scarecrow in NuMI beamline tripped a few times—caused by an MI RF station tripping off. Experts are looking at providing an RF input to the NuMI beam permit.
- 11-batch studies (see loanis)
- Missed pulse fraction climbed to 9%



This week




- \triangleright 4.99 × 10¹⁸ protons this week
- Steady week, only 10.5 hours beam downtime—an hour here and there
- Detector uptimes 98.39% (near) and 99.96% (far)

This week:

- Scarecrow in NuMI beamline tripped a few times—caused by an MI RF station tripping off. Experts are looking at providing an RF input to the NuMI beam permit.
- 11-batch studies (see loanis)
- Missed pulse fraction climbed to 9%



This week



- \triangleright 4.99 × 10¹⁸ protons this week
- Steady week, only 10.5 hours beam downtime—an hour here and there
- > Detector uptimes 98.39% (near) and 99.96% (far)


This week:

- Scarecrow in NuMI beamline tripped a few times—caused by an MI RF station tripping off. Experts are looking at providing an RF input to the NuMI beam permit.
- 11-batch studies (see loanis)
- Missed pulse fraction climbed to 9%




In detail...







Week ending 00:00 Monday 30 April 2007



- Booster intensity down a little (3E11/batch) from recent best
- Per-pulse intensity fairly stable



3×10^{20} protons



"Please, sir, I want some more."